

BLADES

Cyclone Continuous Rim Tile Blade

- Versatile blade that cuts granite, marble, porceain and ceramic tile
- Ideal for cleaning seams and preparing material for miter joints
- Slotted for aggressive cutting with minimal chipping

ltem #	Size	Arbor	Max RPM
CSRO40	4"	5/8" + 7/8" + 20 mm	15,300
CSRO45	4.5"	5/8" + 7/8" + 20 mm	13,200
CSR050	5"	5/8" + 7/8" + 20 mm	12,200
CSR060	6"	5/8" + 7/8" + 20 mm	10,000
CSR070	7"	5/8" + DKO	8,600
CSRO80	8"	5/8" + 7/8" + 20 mm	7,500
CSRO10	10"	5/8" + 7/8" + 1"	6,100
CSR120	12"	5/8" + 7/8" + 1"	6,300
CSR140	14"	5/8" + 1"	5,400

ApplicationGlass
Porcelain panel
Ultra compact



CSR050



CSR100

Super Cyclone Electroplated Blade

- Thick enough for quad adapters
- Cuts engineered glass composite materials
- Side protection ensures a clean 90° cut
- GE grade diamonds provide cleanest cut on porcelain

ltem #	Size	Arbor	RPM
EMBSL40	4"	5/8" + 7/8" + 20 mm	15,000
EMBSL45	4.5"	5/8" + 7/8" + 20 mm	13,300
EMBSL50	5"	5/8" + 7/8" + 20 mm	12,000
EMBSL60	6"	5/8" + 7/8" + 20 mm	10,185
EMBSL70	7"	5/8" + DKO	8,730
EMBSL7Q	7"	5/8" + 7/8" + 20 mm	8,730

ApplicationMarble
Porcelain panel
Ultra compact



Cyclone Electroplated Contour Blade

- Redesigned with vortex side protection for smoother cutting
- Advanced and highly secretive production process separates
 Cyclone electroplated products from the rest

ltem #	Size	Arbor	RPM
CTEB5	5"	5/8" + 7/8"	12,000

Application
Marble
Porcelain panel
Ultra compact



BLADES

Silent Core and Large Diameter Blades

- Designed for use on Sintered Stone and Porcelain Panels.
- New Cyclone Ultra bond & diamond concentration make cuts fast & chip free
- Ultra's new reinforced core adds stability during miter cuts

ltem #	Size	Description	Arbor
Cyclone Ultr	a Large	Diameter	
CUSB14	14"	Continuous - slot	50/60 mm
CUSB16	16"	Continuous - slot	50/60 mm

Application Glass Porcelain panel Ultra compact



Reinforced core

	CYCLONE
•	T

Material>	14"/6 mm Material	16"/6 mm Material	14"/2 cm Material	16"/2 cm Material
RPM	2,000 - 2,200	1,800 - 2,000	2,000 - 2,200	1,800 - 2,000
Feedrate	80" - 85" per min.	80" - 85" per min.	40" - 45" per min.	40" - 45" per min.
Miter Feedrate	40" - 45" per min.	40" - 45" per min.	20" - 25" per min.	20" - 25" per min.

Cyclone Ultra Turbo Blade

- · Designed to cut Ultra Compact surfaces at a fast speed with minimal chipping
- Ultra thin rim assures a fast clean cut
- Turbo mesh design allows for optimal cooling
- Center hub reinforcement keeps the blade cutting straight

ltem #	Size	Arbor	Max RPM
CUTB40	4"	5/8" + 7/8" + 20 mm	13,200
CUTB45	4.5"	5/8" + 7/8" + 20 mm	13.200
CUTB50	5"	5/8" + 7/8" + 20 mm	12,200
CUTB60	6"	5/8" + 7/8" + 20 mm	10,000
CUTB70	7"	5/8" + DKO	8,600
CUTB10	10"	5/8" + 7/8" + 20 mm	6,100

Application . Marble Porcelain panel Ultra compact





Cyclone Turbo Porcelain Blade

- Designed to cut Ultra Compact surfaces at a fast speed with minimal chipping
- Ultra thin rim assures a fast clean cut
- Turbo mesh design allows for optimal cooling
- Center hub reinforcement keeps the blade cutting straight

ltem #	Size	Arbor	Max RPM
TBP40	4"	5/8" + 7/8" + 20 mm	13,200
TBP45	4.5"	5/8" + 7/8" + 20 mm	13.200
TBP50	5"	5/8" + 7/8" + 20 mm	12,200
TBP60	6"	5/8" + 7/8" + 20 mm	10,000
TBP70	7"	5/8" + DKO	8,600
TBP100	10"	5/8" + 7/8" + 1"	6,100
TBP120	12"	50/60 mm	6,300

Application Marble Porcelain panel Ultra compact





TBP100

TBP50

GRINDERS/POLISHERS

Cyclone Ultra Cup Wheel

- Fine diamond grit gives you chip-free grinding
- · Fiberglass backing absorbs vibration to reduce chipping
- Great for prepping seam joints, miter clean up or a beveled edge profile
- Light weight design allows for use on pneumatic polishers
- Can be run wet or dry

ltem #	Size	Grit	Fitting	Max RPM
CUFCN4C	4"	Coarse 30	5/8" - 11	3,200 - 6,500
CUFCN4M	4"	Medium 50	5/8" - 11	3,200 - 6,500
CUFNC4F	4"	Fine 100	5/8" - 11	3,200 - 6,500

Application Granite tile Marble tile Porcelain panel Ultra compact



Super Cyclone Multi-Cutter Grinder

- Makes clean and aggressive cuts like a sharp blade
- · Versatile shaping blade which grinds fragile material well
- Cuts clean miters
- Safer side grinding alternative to regular sintered tile blades.
- Will not break under pressure
- Flush mount adapter comes standard on each blade.
- Use wet or dry

ltem #	Size	Grit	Fitting	Max RPM
EMC50	5"	Coarse	5/8" - 11	7,500

Application Glass Marble Porcelain/tile Ultra compact

Flush mount adapter





Cyclone S Resin Cup Wheel

- 30 and 50 grit are aggressive enough for rapid stock removal
- 100 and 200 grit work well for clean up on seams or miters
- Look and feel of a pad but have the performance and durability of a cup wheel
- Use wet or dry

ltem #	Size	Grit	Aluminum Backer	Wet Max RPM	Dry Max RPM
PDCS430	4"	30	5/8" - 11	7,000	4,000 - 5,000
PDCS450	4"	50	5/8" - 11	7,000	4,000 - 5,000
PDCS4100	4"	100	5/8" - 11	7,000	4,000 - 5,000
PDCS4200	4""	200	5/8" - 11	7,000	4,000 - 5,000

Application

Granite tile Marble tile Porcelain panel Ultra compact





GRINDERS/POLISHERS

Cyclone Brazed Stock Removal Wheel

- Vacuum brazed diamonds
- Fastest tool for shaping a radius on the outside edge or remove material from a sink cut-out
- · Comes with center water feed

Item #	Size	Grit	Fitting	Max RPM
SRVB2038	2" x 3/8"	Coarse 30	5/8" - 11	4,000
SRVB2034	2" x 3/4"	Coarse 30	5/8" - 11	4,000



Available in large 2" diameter

Application E.S. tile Granite tile Marble tile Ultra compact



SRVB2034 SRVB2038

Cyclone Ultra Wet/Dry Polishing System

- Maximum diamond content allows these pads to polish ultra compact and porcelain tile edges very efficiently
- Great flexibility for tight radius work
- White Resin
- Wet/dry use

Item #	Size	Grit	Dod / Dond	Max	RPM
icem #	Size	Giit	Pad/Bond	Wet	Dry
PDU40050	4"	50	2 mm, Resin	4,000	3,000
PDU40100	4"	100	2 mm, Resin	4,000	3,000
PDU40200	4"	200	2 mm, Resin	4,000	3,000
PDU40400	4"	400	2 mm, Resin	4,000	3,000
PDU40800	4"	800	2 mm, Resin	4,000	3,000
PDU41500	4"	1500	2 mm, Resin	4,000	3,000
PDU43000	4"	3000	2 mm, Resin	4,000	3,000

ApplicationEngineered stone

ngineered ston Granite Marble Porcelain tile Quartzite Ultra compact





CORE BITS

Cyclone Ultra Core Bit

- Specific metal bond and diamond composition provides a fast clean hole in porcelain and ultra compact material
- Thin tapered segments prevent blow-outs when coring
- Wet or dry use

ltem #	Size	Fitting	Usable Length	Max RPM
CUDB114	1 1/4"	5/8" - 11	2.25"	5,000
CUDB138	1 3/8"	5/8" - 11	2.25"	5,000
CUDB112	1 1/2"	5/8" - 11	2.25"	5,000
CUDB200	2"	5/8" - 11	2.25"	5.000



Tapered segment

Cyclone Ultra Non Core Bit

- Designed with a special bond for large format porcelain and ultra compact material
- Thin tapered segments give clean cuts
- Wet or dry use

Item #	Size	Fitting	Usable Length	Max RPM
CUDB014	1/4"	5/8" - 11	2"	5,000
CUDB516	5/16"	5/8" - 11	2"	5,000
CUDB038	3/8"	5/8" - 11	2.75"	5,000
CUDB012	1/2"	5/8" - 11	2.75"	5,000
CUDB058	5/8"	5/8" - 11	2.75"	5,000



Cyclone Porcelain Tile Bit


- First ever dry bit for porcelain tile
- · Sintered turbo rim for faster cuts and longer life
- Comes with hexagonal chuck

ltem #	Size (mm)	Fitting	Usable Length	RPM
TDBC316	3/16" (5 mm)	Hex chuck	2.25"	1,500 - 2000
TDBC14	1/4" (6 mm)	Hex chuck	2.25"	1,500 - 2000
TDBC516	5/16" (8 mm)	Hex chuck	2.25"	1,500 - 2000
TDBC38	3/8" (10 mm)	Hex chuck	2.25"	1,500 - 2000
TDBC12	1/2" (12 mm)	Hex chuck	2.25"	1,500 - 2000

Marble Porcelain panel Quartz Ultra compact

Application

Granite



Relief slot for core removal





CNC TOOLING

Cyclone Ultra CNC Core Bit

- T-segment design with new diamond technology increases life and minimizes segment loss
- Designed with slot-openings on each side which prevents blow-outs

ltem #	Size	Fitting	Usable Length	Max RPM
CUBYH114	1 1/4"	1/2" gas	3"	2,300
CUBYH138	1 3/8"	1/2" gas	3"	2,300
CUBYH112	1 1/2"	1/2" gas	3"	2,300

Application
Granite
Marble
Porcelain pane
Ultra compact

ApplicationGranite

Marble

Porcelain panel



Cyclone Ultra CNC Finger Bit

- Specific metal bond and diamond composition provide fast and clean milling in porcelain and ultra compact material
- 8 segment design ensures well balanced smooth cut

ltem #	Segment Size	Segment #	Fitting	Max RPM
CUFD2025	20 mm x 25L mm	8	1/2" gas	4,500
CUFD2030	20 mm x 30L mm	8	1/2" gas	4,500
CUFD2035	20 mm x 35L mm	8	1/2" gas	4,500
CUFD2040	20 mm x 40L mm	8	1/2" gas	4,500



Cyclone Ultra Incremental Bit

- Specific metal bond and diamond composition provide fast and clean milling in porcelain and ultra compact material
- **Micro incremental bits** are designed for cutting at faster speeds. Used to mill tight corners and outlet holes.

speeds. Used to mill tight corners and outlet holes.					Ultra compact			
ltem #	Size	Usable Length	Fitting	Bond	RPM			
FBTU2020	20 mm	20 mm	M12	Medium	4,200			
FBTU2ORT	20 mm	20 mm	M12 reversed	Medium	4,200			
Micro Incre	Micro Incremental Bits							
FBTU08RT	8 mm	15 mm	1/2 gas reversed	Medium	4,200			
FBTU10RT	10 mm	15 mm	1/2 gas reversed	Medium	4,200			
Mandrels	Description			Fitting				
FBSM-RT	Cyclone mandrel reverse thread, 70 mm			M12 female - 1/2 gas male				
FBSM-RT25	Cyclone mandrel with reverse thread, 25 mm			M12 female - 1/2 gas male				



